


1. TREES ARE NOT TO BE PLANTED WITHIN 3m OF A STORMWATER PIT 2. TREES ARE NOT TO BE PLANTED WITHIN 4m OF A LIGHT POLE.

## MAINTENANCE STRATEGY

TASK	FREQUENCY	
MOWING	MONTHLY	
WEEDING	BIANNUALLY	
PRUNING	ANNUALLY	
POISONING	ANNUALLY	
MULCHING	ANNUALLY	

PERIOD NOVEMBER - MARCH **APRIL - OCTOBER** 



SCALE NTS

## WATERING SCHEDULE

FREQUENCY		
10 - 14	DAYS	
28	DAYS	

## PLANTING SCHEDULE

NOTE: ALL TREES TO BE SUPPLIED IN 33cm POTS OR 45L BAG

TREE	ABBREVIATION	SIZE (H x Ø)
Banksia marginata (Silver Banksia)	BM	5m x 4mØ
NOTES:		

- Nature strips and mowable reserve areas to use ryegrass.



Banksia marginata

NTS	SITERS CONSULTING ENGINEERS			
	109 OLD Peterborough Road, Peterborough		SHEET No. 2 OF 2	
	Job No. 22–158		REV: –	
REVISION	DESCRIPTION		DATE	
_	INITIAL SUBMISSION		ARP 24	