

## Notes:

## Footpaths/driveway:

Compacted granite sand topping minimum depth of 100mm on top of 20mm crushed rock base to a depth of 150mm.

## Garden beds:

Cultivate all garden areas to a minimum depth of 200mm.

Remove all existing grass and rhizomes, then cover with 2 layers of cardboard and wet thoroughly.

Install premium quality native friendly garden soil as required. Mulch with 50mm of aged bush/euky mulch.

All garden lights to be low voltage and connected to smart plug controllers compatible with WiFi and controlled through mobile devices. Garden lights to be adjustable spike lighting.

Supply and install planting materials as indicated on the drawing and as per the planting schedule.

All plants to be installed using horticulturally accepted practices and watered thoroughly upon installation.

Semi-established trees are to be staked as follows: Use two 1800 x 50 x 50mm hardwood stakes pointed at one end and driven 600mm into the ground. Plants are to be secured to each stake with a figure eight tie of canvas with a minimun width of 50mm. Ties are to be securely attached to stakes.

## General notes:

All garden beds, lawns and garden areas will slope away from buildings. The location of all underground and overhead services shall be checked by a contractor prior to commencement of any excavation works.

All dimensions and levels shall be verified on site prior to the commencement of any

The finished surface level of all mulched garden beds is to be below the weeping holes of buildings.

# Landscape Plan

Site Plan and tree schedule

Copyright. This drawing must not be copied in whole or in part without the consent of Biodiverse Garden Design. Do not scale off the drawing.

First draft

## Project:

9 Towilla Way, Killarney VIC 3283

Biodiverse Garden Design

Clunes, Victoria. 3370



Drawing Date: Nov 2024 **Revision: Draft** Job Number: 151124 Scale 1: 250 @ A1

